

## 2013

Bijuklic K, Wandler A, Varnakov Y, Tuebler T, **Schofer J**. Risk factors for cerebral embolization after carotid artery stenting with embolic protection: a diffusion-weighted magnetic resonance imaging study in 837 consecutive patients. *Circ Cardiovasc Interv*. 2013 Jun 1;6(3):311-6. doi: 10.1161/CIRCINTERVENTIONS.112.000093. Epub 2013 May 28.

Linnemann B, Sutter T, Herrmann E, **Sixt S**, Rastan A, Schwarzwaelder U, Noory E, Buergelein K, Beschoner U, Zeller T. Elevated Cardiac Troponin T is Associated with Higher Mortality and Amputation Rates in Patients with Peripheral Arterial Disease. *J Am Coll Cardiol*. 2013 Jun 20. doi:pii: S0735-1097(13)02363-2. 10.1016/j.jacc.2013.05.059.

**Sixt S**, Carpio Cancino OG, Treszl A, Beschoner U, Macharzina R, Rastan A, **Krankenbergh H**, Neumann FJ, Zeller T. Drug-coated balloon angioplasty after directional atherectomy improves outcome in restenotic femoropopliteal arteries. *J Vasc Surg*. 2013 Sep;58(3):682-6. doi: 10.1016/j.jvs.2013.02.019. Epub 2013 Jun 4.

Zeller T, Schmidt A, Rastan A, Noory E, Brechtel K, **Sixt S**, Scheinert D, Tepe G. New approach to protected percutaneous transluminal angioplasty in the lower limbs. *J Endovasc Ther*. 2013 Jun;20(3):409-19. doi: 10.1583/13-4221.1.

Schillinger W, Hünlich M, Baldus S, Ouarrak T, Boekstegers P, Hink U, Butter C, Bekeredjian R, Plicht B, Sievert H, **Schofer J**, Senges J, Meinertz T, Hasenfuß G. Acute outcomes after MitraClip therapy in highly aged patients: results from the German Transcatheter Mitral valve Interventions (TRAMI) Registry.

Bijuklic K, Wandler A, Tübler T, **Schofer J**. Impact of asymptomatic cerebral lesions in diffusion-weighted magnetic resonance imaging after carotid artery stenting. *JACC Cardiovasc Interv*. 2013 Apr;6(4):394-8. doi: 10.1016/j.jcin.2012.10.019. Epub 2013 Mar 20.

Zeller T, Schmidt A, Rastan A, Noory E, **Sixt S**, Scheinert D. Re: "Initial experience with the 5×300-mm Proteus Embolic Capture Angioplasty balloon in the treatment of peripheral vascular disease". Reply. *J Endovasc Ther*. 2013 Apr;20(2):252-3. doi: 10.1583/1545-1550-20.2.252. No abstract available.

Abizaid A, Ormiston JA, Fajadet J, Mauri L, **Schofer J**, Verheye S, Dens J, Thuesen L, Macours N, Qureshi AC, Spaulding C. Two-year follow-up of the NEVO RES-ELUTION I (NEVO RES-I) trial: a randomised, multicentre comparison of the NEVO sirolimus-eluting coronary stent with the TAXUS Liberté paclitaxel-eluting stent in de novo native coronary artery lesions. *EuroIntervention*. 2013 Mar 22. doi:pii: 20120209-02. [Epub ahead of print]

Beschoner U, **Krankenbergh H**, Scheinert D, Sievert H, Tübler T, **Sixt S**, Noory E, Rastan A, Macharzina R, Zeller T. Rotational and aspiration atherectomy for infrainguinal in-stent restenosis. *Vasa*. 2013 Mar;42(2):127-33. doi: 10.1024/0301-1526/a000256.

**Schofer J**. First-generation drug-eluting stents for chronic total occlusion: in danger of extinction? *J Am Coll Cardiol*. 2013 Feb 5;61(5):551-2. doi: 10.1016/j.jacc.2012.10.037. Epub 2012 Dec 26. No abstract available.

**Sixt S, Krankenberg H**, Möhrle C, Kaspar M, Tübler T, Rastan A, Brechtel K, Macharzina R, Neumann FJ, Zeller T. Endovascular treatment for extensive aortoiliac artery reconstruction: a single-center experience based on 1712 interventions. *J Endovasc Ther.* 2013 Feb;20(1):64-73. doi: 10.1583/12-4014.1.

**Krankenberg H**, Bader R, **Sixt S**, Tübler T, **Schwencke C**, Kivelitz D, Rad A, Caspary M, Zeller T. Endovascular repair of ascending aortic aneurysm by transapical approach and periscope technique. *J Endovasc Ther.* 2013 Feb;20(1):13-7. doi: 10.1583/12-4082.1.

Bonvini RF, Rastan A, **Sixt S**, Beschorner U, Noory E, Schwarz T, Roffi M, Dorsaz PA, Schwarzwälder U, Bürgelin K, Macharzina R, Zeller T. Angioplasty and provisional stent treatment of common femoral artery lesions. *J Vasc Interv Radiol.* 2013 Feb;24(2):175-83. doi: 10.1016/j.jvir.2012.10.020. Epub 2013 Jan 28.

Syha R, Ketelsen D, Kaempf M, Mangold S, **Sixt S**, Zeller T, Springer F, Schick F, Claussen CD, Brechtel K. In vitro stent lumen visualisation of various common and newly developed femoral artery stents using MR angiography at 1.5 and 3 tesla. *Eur Radiol.* 2013 Feb;23(2):588-95. doi: 10.1007/s00330-012-2625-9. Epub 2012 Aug 17.

Abdel-Wahab M, Richardt G, Joachim Büttner H, Toelg R, Geist V, Meinertz T, **Schofer J**, King L, Neumann FJ, Khattab AA. High-speed rotational atherectomy before paclitaxel-eluting stent implantation in complex calcified coronary lesions: the randomized ROTAXUS (Rotational Atherectomy Prior to Taxus Stent Treatment for Complex Native Coronary Artery Disease) trial. *JACC Cardiovasc Interv.* 2013 Jan;6(1):10-9. doi: 10.1016/j.jcin.2012.07.017. Epub 2012 Dec 19.

## 2012

Zeller T, Schmidt A, Rastan A, Noory E, **Sixt S**, Scheinert D. Initial experience with the 5 × 300-mm Proteus embolic capture angioplasty balloon in the treatment of peripheral vascular disease. *J Endovasc Ther.* 2012 Dec;19(6):826-33. doi: 10.1583/JEVT-12-3960MR.1.

Baldus S, Schillinger W, Franzen O, Bekeredjian R, Sievert H, **Schofer J**, Kuck KH, Konorza T, Möllmann H, Hehrlein C, Ouarrak T, Senges J, Meinertz T; German Transcatheter Mitral Valve Interventions (TRAMI) investigators. MitraClip therapy in daily clinical practice: initial results from the German transcatheter mitral valve interventions (TRAMI) registry. *Eur J Heart Fail.* 2012 Sep;14(9):1050-5. Epub 2012 Jun 8.

Bijuklic K, Tübler T, Low RI, Grube E, **Schofer J**. Direct Flow Medical valve. *EuroIntervention.* 2012 Sep;8 Suppl Q:Q75-8. doi: 10.4244/EIJV8SQA13.

Rastan A, Brechtel K, **Krankenberg H**, Zahorsky R, Tepe G, Noory E, Schwarzwälder U, Macharzina R, Schwarz T, Bürgelin K, **Sixt S**, Tübler T, Neumann FJ, Zeller T. Sirolimus-eluting stents for treatment of infrapopliteal arteries reduce clinical event rate compared to bare-metal stents: long-term results from a randomized trial. *J Am Coll Cardiol.* 2012 Aug 14;60(7):587-91. doi: 10.1016/j.jacc.2012.04.035.

Sievert H, Wunderlich N, Reiffenstein I, Ruygrok P, Grube E, Buellesfeld L, Meier B, **Schofer J**, Muller D, Jones RK, Gillam L. Initial clinical experience with the coherex FlatStent™ and FlatStent™ EF PFO closure system for in-tunnel PFO closure: Results of the Coherex-EU study. *Catheter Cardiovasc Interv*. 2012 Jul 19. doi: 10.1002/ccd.24565.

Schmalstieg J, Zeller T, Tübler T, **Sixt S**, **Schwencke C**, Sandstede J, **Krankenbergh H**. Long term data of endovascularly treated patients with severe and complex aortoiliac occlusive disease. *J Cardiovasc Surg (Torino)*. 2012 Jun;53(3):291-300.

Schäfer U, Ho Y, Frerker C, Schewel D, Sanchez-Quintana D, **Schofer J**, Bijuklic K, Meincke F, Thielsen T, Kreidel F, Kuck KH. Direct percutaneous access technique for transaxillary transcatheter aortic valve implantation: "the Hamburg Sankt Georg approach". *JACC Cardiovasc Interv*. 2012 May;5(5):477-86. doi: 10.1016/j.jcin.2011.11.014.

Bijuklic K, Wandler A, Hazizi F, **Schofer J**. The PROFI study (Prevention of Cerebral Embolization by Proximal Balloon Occlusion Compared to Filter Protection During Carotid Artery Stenting): a prospective randomized trial. *J Am Coll Cardiol*. 2012 Apr 10;59(15):1383-9. doi: 10.1016/j.jacc.2011.11.035. Epub 2012 Jan 25.

Carrié D, Berland J, Verheye S, Hauptmann KE, Vrolix M, Violini R, Dibie A, Berti S, Maupas E, Antonucci D, **Schofer J**. A multicenter randomized trial comparing amphimus-with paclitaxel-eluting stents in de novo native coronary artery lesions. *J Am Coll Cardiol*. 2012 Apr 10;59(15):1371-6. doi: 10.1016/j.jacc.2011.12.009. Epub 2012 Jan 25.

Zeller T, Kambara AM, Moreira SM, Atar E, Chulsky A, Turgeman Y, **Sixt S**, Tepe G, Rastan A, Buchbinder M. Recanalization of femoropopliteal chronic total occlusions using the ENABLER-P Balloon Catheter System. *J Endovasc Ther*. 2012 Apr;19(2):131-9. doi: 10.1583/11-3664.1.

Baber U, Stone GW, Weisz G, Moreno P, Dangas G, Maehara A, Mintz GS, Cristea E, Fahy M, Xu K, Lansky AJ, Wennerblom B, **Mathey DG**, Templin B, Zhang Z, Serruys PW, Mehran R. Coronary plaque composition, morphology, and outcomes in patients with and without chronic kidney disease presenting with acute coronary syndromes. *JACC Cardiovasc Imaging*. 2012 Mar;5(3 Suppl):S53-61. doi: 10.1016/j.jcmg.2011.12.008.

Linnemann B, Sutter T, **Sixt S**, Rastan A, Schwarzwaelder U, Noory E, Buergelin K, Beschorner U, Zeller T. Elevated cardiac troponin T contributes to prediction of worse in-hospital outcomes after endovascular therapy for acute limb ischemia. *J Vasc Surg*. 2012 Mar;55(3):721-9. doi: 10.1016/j.jvs.2011.10.024. Epub 2012 Jan 24.

## 2011

Bijuklic K, Tuebler T, Reichenspurner H, Treede H, Wandler A, Harreld JH, Low RI, **Schofer J** Midterm Stability and Hemodynamic Performance of a Transfemorally Implantable Nonmetallic, Retrievable, and Repositionable Aortic Valve in Patients With Severe Aortic Stenosis: Up to 2-Year Follow-Up of the Direct-Flow Medical Valve: A Pilot Study. *Circ Cardiovasc Interv*. 2011 Nov 29. [Epub ahead of print]

Bijuklic K, Tübler T, Wandler A, Goossens H, **Schofer J**. Carotid artery stenting, what can be learned after more than 1,000 patients: a single centre single operator experience. *EuroIntervention*. 2011 Nov 15;7(7):820-7. doi: 10.4244/EIJV7I7A129.

**Sixt S**, Rastan A, Scheinert D, **Krankenbergh H**, Steinkamp H, Schmidt A, Sievert H, Minar E, Bosiers M, Peeters P, Balzer JO, Tübler T, Wissgott C, Cancino OG, Schwarzwälder U, Zeller T. The 1-year clinical impact of rotational aspiration atherectomy of infrainguinal lesions. *Angiology*. 2011 Nov;62(8):645-56. Epub 2011 May 8.

Rastan A, Tepe G, **Krankenbergh H**, Zahorsky R, Beschorner U, Noory E, **Sixt S**, Schwarz T, Brechtel K, Böhme C, Neumann FJ, Zeller T. Sirolimus-eluting stents vs. bare-metal stents for treatment of focal lesions in infrapopliteal arteries: a double-blind, multi-centre, randomized clinical trial. *Eur Heart J*. 2011 Sep;32(18):2274-81. Epub 2011 May 26.

Verheye S, Ramcharitar S, Grube E, **Schofer J**, Witzendichler B, Kovac J, Hauptmann KE, Agostoni P, Wiemer M, Lefèvre T, Spaargaren R, Serruys PW, García-García HM, van Geuns RJ. Six-month clinical and angiographic results of the STENTYS® self-apposing stent in bifurcation lesions. *EuroIntervention*. 2011 Sep;7(5):580-7. doi: 10.4244/EIJV7I5A94.

Werner GS, **Schofer J**, Sievert H, Kugler C, Reifart NJ. Multicentre experience with the BridgePoint devices to facilitate recanalisation of chronic total coronary occlusions through controlled subintimal re-entry. *EuroIntervention*. 2011 Jun;7(2):192-200. doi: 10.4244/EIJV7I2A33.

**Mathey DG**, Wendig I, Boxberger M, Bonaventura K, Kleber FX. Treatment of bifurcation lesions with a drug-eluting balloon: the PEPCAD V (Paclitaxel Eluting PTCA Balloon in Coronary Artery Disease) trial. *EuroIntervention*. 2011 May;7 Suppl K:K61-5. doi: 10.4244/EIJV7SKA11.

Kleber FX, Mathey DG, Rittger H, Scheller B; German Drug-eluting Balloon Consensus Group. Collaborators (13) Bruch L, Hengstenberg C, Kleber FX, Kurowski V, **Mathey DG**, Missler J, Moebius-Winkler S, Padke P, Rittger H, Scheller B, Schneider H, Zeus T, Zeymer U. How to use the drug-eluting balloon: recommendations by the German consensus group. *EuroIntervention*. 2011 May;7 Suppl K:K125-8. doi: 10.4244/EIJV7SKA21.

Perings SM, Bosch R, Eggeling T, Hennersdorf M, Graf La Rosee K, Korte T, Lauer T, Leschke M, Lewalter T, **Mathey DG**, Mudra H, Reifert N, Rybak K, Sievert H, Tiefenbacher C. [European guidelines on myocardial revascularization]. *Herz*. 2011 May;36(3):265-6.

**Sixt S**, Rastan A, Scheinert D, **Krankenbergh H**, Steinkamp H, Schmidt A, Sievert H, Minar E, Bosiers M, Peeters P, Balzer JO, Tübler T, Wissgott C, Cancino OG, Schwarzwälder U, Zeller T. The 1-year clinical impact of rotational aspiration atherectomy of infrainguinal lesions. *Angiology*. 2011 Nov;62(8):645-56. Epub 2011 May.

Duckers HJ, Houtgraaf J, Hehrlein C, **Schofer J**, Waltenberger J, Gershlick A, Bartunek J, Nienaber C, Macaya C, Peters N, Smits P, Siminiak T, van Mieghem W, Legrand V, Serruys PW. Final results of a phase IIa, randomised, open-label trial to evaluate the percutaneous intramyocardial transplantation of autologous skeletal myoblasts in congestive heart failure patients: the SEISMIC trial. *EuroIntervention*. 2011 Feb;6(7):805-12. doi:10.4244/EIJV6I7A139.

Walter DH, **Krankenber**g H, Balzer JO, Kalka C, Baumgartner I, Schlüter M, Tonn T, Seeger F, Dimmeler S, Lindhoff-Last E, Zeiher AM; PROVASA Investigators. Intraarterial administration of bone marrow mononuclear cells in patients with critical limb ischemia: a randomized-start, placebo-controlled pilot trial (PROVASA). *Circ Cardiovasc Interv*. 2011 Feb 1;4(1):26-37. Epub 2011 Jan 4.

Herold J, **Brucks** S, Boenigk H, Said SM, Braun-Dullaeus RC. Ultrasound guided thrombin injection of pseudoaneurysm of the radial artery after percutaneous coronary intervention. *Vasa*. 2011 Jan;40(1):78-81. doi: 10.1024/0301-1526/a000074.

**Brucks** S, Braun-Dullaeus R. C. Der angiologische Notfall: das kalte Bein. *Kardiologie up2date*. - Stuttgart : Thieme, Bd. 7.2011, 1, S. 51-63;

## 2010

Treede H, Tübler T, Reichenspurner H, Grube E, Pascotto A, Franzen O, Mueller R, Low R, Bolling SF, Meinertz T, **Schofer** J. Six-month results of a repositionable and retrievable pericardial valve for transcatheter aortic valve replacement: the Direct Flow Medical aortic valve. *J Thorac Cardiovasc Surg*. 2010 Oct;140(4):897-903. Epub 2010 Apr 14.

Garg P, Charytan DM, Novack L, Cutlip DE, Popma JJ, Moses J, Leon MB, **Schofer** J, Breithardt G, Schampaert E, Mauri L. Impact of moderate renal insufficiency on restenosis and adverse clinical events after sirolimus-eluting and bare metal stent implantation (from the SIRIUS trials). *Am J Cardiol*. 2010 Nov 15;106(10):1436-42.

## 2009

Caixeta A, Leon MB, Lansky AJ, Nikolsky E, Aoki J, Moses JW, **Schofer** J, Morice MC, Schampaert E, Kirtane AJ, Popma JJ, Parise H, Fahy M, Mehran R. 5-Year clinical outcomes after sirolimus-eluting stent implantation: insights from a patient-level pooled analysis of 4 randomized trials comparing sirolimus-eluting stents with bare-metal stents. *J Am Coll Cardiol*. 2009 Sep 1;54(10):894-902.

Nef HM, Möllmann H, Weber M, Auch-Schwelk W, Bonzel T, Varelas J, Nordt TK, **Schofer** J, Minden HH, Stumpf J, Schneider S, Elsässer A, Hamm CW. Cobalt-chrome MULTI-LINK VI-SION-stent implantation in diabetics and complex lesions: results from the DaVinci-Registry. *Clin Res Cardiol*. 2009 Aug 21. [Epub ahead of print]

**Krankenber**g H, Schlüter M, **Schwencke** C, Walter D, Pascotto A, Sandstede J, Tübler T. Endovascular reconstruction of the aortic bifurcation in patients with Leriche syndrome. *Clin Res Cardiol*. 2009 Oct; 98(10): 657-64.

Sack S, **Schofer** J. Die kathetergestützte Implantation einer Aortenklappenprothese: aktueller Stand und zukünftige Technologien. *Herz*. 2009 Aug; 34(5): 357-66.

Siminiak T, Hoppe UC, **Schofer** J, Haude M, Herrman JP, Vainer J, Firek L, Reuter DG, Goldberg SL, Van Bibber R. Effectiveness and safety of percutaneous coronary sinus-based mitral valve repair in patients with dilated cardiomyopathy (from the AMADEUS trial). *Am J Cardiol*. 2009 Aug 15; 104(4): 565-70.

**Schofer J**, Siminiak T, Haude M, Herrman JP, Vainer J, Wu JC, Levy WC, Mauri L, Feldman T, Kwong RY, Kaye DM, Duffy SJ, Tübler T, Degen H, Brandt MC, Van Bibber R, Goldberg S, Reuter DG, Hoppe UC. Percutaneous mitral valve annuloplasty for functional mitral regurgitation: results of the CARILLON Mitral Annuloplasty Device European Union Study. *Circulation*. 2009 Jul 28; 120(4): 326-33.

Versaci F, Reimers B, Del Giudice C, **Schofer J**, Giacomini A, Saccà S, Gandini R, Albiero R, Pellegrino A, Bertoldo F, Simonetti G, Chiariello L. Simultaneous hybrid revascularization by carotid stenting and coronary artery bypass grafting: the SHARP study. *JACC Cardiovasc Interv*. 2009 May; 2(5): 393-401.

Verheye S, Agostoni P, Dawkins KD, Dens J, Rutsch W, Carrie D, **Schofer J**, Lotan C, Dubois CL, Cohen SA, Fitzgerald PJ, Lansky AJ. The GENESIS (Randomized, Multicenter Study of the Pimecrolimus-Eluting and Pimecrolimus/Paclitaxel-Eluting Coronary Stent System in Patients with De Novo Lesions of the Native Coronary Arteries) trial. *JACC Cardiovasc Interv*. 2009 Mar; 2(3): 205-14.

Verheye S, Grube E, Ramcharitar S, **Schofer J**, Witzenbichler B, Kovac J, Hauptmann KE, Agostoni P, Wiemer M, Lefèvre T, Serruys PW, van Geuns RJ. First-in-man (FIM) study of the Stentys™ bifurcation stent – 30 days results. *EuroInterv*. 2009 Mar; 4(5): 566-71.

Braun M, Edelmann F, Knapp M, Schön S, **Schwencke C**, Simonis G, Borst M, Weinbrenner C, Strasser RH. The calcium channel blocker felodipine attenuates the positive hemodynamic effects of the beta-blocker metoprolol in severe dilated cardiomyopathy--a prospective, randomized, double-blind and placebo-controlled study with invasive hemodynamic assessment. *Int J Cardiol*. 2009 Feb 20;132(2):248-56. doi: 10.1016/j.ijcard.2008.02.022. Epub 2008 Jun 24.

Colombo A, Bramucci E, Saccà S, Violini R, Lettieri C, Zanini R, Sheiban I, Paloscia L, Grube E, **Schofer J**, Bolognese L, Orlandi M, Niccoli G, Latib A, Airolidi F. Randomized study of the crush technique versus provisional side-branch stenting in true coronary bifurcations: the CACTUS (Coronary Bifurcations: Application of the Crushing Technique Using Sirolimus-Eluting Stents) Study. *Circulation*. 2009 Jan 6; 119(1): 71-8.

## 2008

**Schofer J**, Schlüter M, Treede H, Franzen OW, Tübler T, Pascotto A, Low RI, Bolling SF, Meinertz T, Reichenspurner H. Retrograde transarterial implantation of a nonmetallic aortic valve prosthesis in high-surgical-risk patients with severe aortic stenosis: a first-in-man feasibility and safety study. *Circ Cardiovasc Intervent*. 2008 Oct; 1(2): 126-33.

**Schofer J**, Arendt M, Tübler T, Sandstede J, Schlüter M. Late cerebral embolization after emboli-protected carotid artery stenting assessed by sequential diffusion-weighted magnetic resonance imaging. *JACC Cardiovasc Interv*. 2008 Oct; 1(5): 571-7.

Rastan A, **Krankenber**g H, Müller-Hülsbeck S, **Sixt S**, Tübler T, Müller C, Schwarzwälder U, Frank U, Schwarz T, Leppänen O, Neumann FJ, Zeller T. Improved renal function and blood pressure control following renal artery angioplasty: The Renal Artery Angioplasty in Patients with Renal Insufficiency and Hypertension Using a Dedicated Renal Stent Device Study (PRE- CISION). *EuroInterv.* 2008 Aug; 4(2): 208-13.

Zeller T, Tiefenbacher C, Steinkamp HJ, Langhoff R, Wittenberg G, Schlüter M, Buergelin K, Rastan A, Krumdorf U, **Sixt S**, Schulte KL, Tübler T, **Krankenber**g H. Nitinol stent implantation in TASC A and B superficial femoral artery lesions: the Femoral Artery Conformexx Trial (FACT). *J Endovasc Ther.* 2008 Aug; 15(4): 390-8.

Kereiakes DJ, Petersen JL, Batchelor WB, Fitzgerald PJ, Mehran R, Lansky A, Tsujino I, **Schofer J**, Dubois C, Verheye S, Cristea E, Garg J, Wijns W, Krucoff MW. Clinical and angiographic outcomes in diabetic patients following single or multivessel stenting in the COSTAR II random- ized trial. *J Invasive Cardiol.* 2008 Jul; 20(7): 335-41.

Nikolsky E, Holmes DR, Mehran R, Dangas G, Schampaert E, Morice MC, **Schofer J**, Sousa JE, Fahy M, Na Y, Donohoe DJ, Moses JW, Leon MB. Impact of platelet glycoprotein IIb/IIIa receptor inhibitors on outcomes of diabetic patients undergoing percutaneous coronary interven- tions using sirolimus-eluting stents. *Catheter Cardiovasc Interv.* 2008 Jun 1; 71(7): 896-906.

Vahanian A, Alfieri O, Al-Attar N, Antunes M, Bax J, Cormier B, Cribier A, De Jaegere P, Four- nial G, Kappetein AP, Kovac J, Ludgate S, Maisano F, Moat N, Mohr F, Nataf P, Piérard L, Po- mar JL, **Schofer J**, Tornos P, Tuzcu M, van Hout B, von Segesser LK, Walther T. Transcatheter valve implantation for patients with aortic stenosis: a position statement from the European As- sociation of Cardio-Thoracic Surgery (EACTS) and the European Society of Cardiology (ESC), in collaboration with the European Association of Percutaneous Cardiovascular Interventions (EAPCI). *Eur Heart J.* 2008 June; 29(11): 1463-70.

Sianos G, Barlis P, Di Mario C, Papafaklis MI, Büttner J, Galassi AR, **Schofer J**, Werner G, Lefevre T, Louvard Y, Serruys PW, Reifart N. European experience with the retrograde ap- proach for the recanalisation of coronary artery chronic total occlusions. A report on behalf of the EuroCTO club. *EuroInterv.* 2008 May; 4(1): 84-92.

Wunderlich C, Schober K, Schmeisser A, Heerwagen C, Tausche AK, Steinbronn N, Brandt A, Kasper M, **Schwencke C**, Braun-Dullaeus RC, Strasser RH. The adverse cardiopulmonary phenotype of caveolin-1 deficient mice is mediated by a dysfunctional endothelium. *J Mol Cell Cardiol.* 2008 May;44(5):938-47. doi: 10.1016/j.yjmcc.2008.02.275. Epub 2008 Mar 8.

Krucoff MW, Kereiakes DJ, Petersen JL, Mehran R, Hasselblad V, Lansky AJ, Fitzgerald PJ, Garg J, Turco MA, Simonton CA, Verheye S, Dubois CL, Gammon R, Batchelor WB, O'Shaughnessy CD, Hermiller JB, **Schofer J**, Buchbinder M, Wijns W; COSTAR II Investigators Group. A novel bioresorbable polymer paclitaxel-eluting stent for the treatment of single and multivessel coronary disease: Primary results of the COSTAR (Cobalt Chromium Stent with Antiproliferative for Restenosis) II study. *J Am Coll Cardiol.* 2008 Apr 22; 51(16): 1543-52.

Wunderlich C, Schmeisser A, Heerwagen C, Ebner B, Schober K, Braun-Dullaeus RC, **Schwencke C**, Kasper M, Morawietz H, Strasser RH. Chronic NOS inhibition prevents adverse lung remodeling and pulmonary arterial hypertension in caveolin-1 knockout mice. *Pulm Pharmacol Ther.* 2008;21(3):507-15. doi: 10.1016/j.pupt.2007.11.005. Epub 2007 Dec 8.

Hoffmann R, Morice MC, Moses JW, Fitzgerald PJ, Mauri L, Breithardt G, **Schofer J**, Serruys PW, Stoll HP, Leon MB. Impact of late incomplete stent apposition after sirolimus-eluting stent implantation on 4-year clinical events: intravascular ultrasound analysis from the multicentre, randomised, RAVEL, E-SIRIUS and SIRIUS trials. *Heart.* 2008 Mar; 94(3): 322-8.

## 2007

Solinas E, Nikolsky E, Lansky AJ, Kirtane AJ, Morice MC, Popma JJ, **Schofer J**, Schampaert E, Pucelikova T, Aoki J, Fahy M, Dangas GD, Moses JW, Cutlip DE, Leon MB, Mehran R. Gender-specific outcomes after sirolimus-eluting stent implantation. *J Am Coll Cardiol.* 2007 Nov 27; 50(22): 2111-6.

**Krankenbergh H**, Schlüter M, Steinkamp HJ, Bürgelin K, Scheinert D, Schulte KL, Minar E, Peeters P, Bosiers M, Tepe G, Reimers B, Mahler F, Tübler T, Zeller T. Nitinol stent implantation versus percutaneous transluminal angioplasty in superficial femoral artery lesions up to 10 cm in length: the Femoral Artery Stenting Trial (FAST). *Circulation.* 2007 Jul 17; 116(3): 285-92.

Zeller T, **Krankenbergh H**, Rastan A, **Sixt S**, Schmidt A, Tübler T, Schwarz T, Frank U, Bürgelin K, Schwarzwälder U, Hauswald K, Kliem M, Pochert V, Neumann FJ, Scheinert D. Percutaneous rotational and aspiration atherectomy in infrainguinal peripheral arterial occlusive disease: A multicenter pilot study. *J Endovasc Ther.* 2007 Jun; 14(3): 357-64.

Schlüter M, Reimers B, Castriota F, Tübler T, Cernetti C, Cremonesi A, Berger J, Colombo A, **Schofer J**. Impact of diabetes, patient age, and gender on the 30-day incidence of stroke and death in patients undergoing carotid artery stenting with embolic protection: A post-hoc subanalysis of a prospective multicenter registry. *J Endovasc Ther.* 2007 Jun; 14(3): 271-8.

Schlüter M, Cosgrave J, Tübler T, Melzi G, Colombo A, **Schofer J**. Rotational atherectomy to enable sirolimus-eluting stent implantation in calcified, nondilatable *de novo* coronary artery lesions: Mid-term clinical and angiographic outcomes. *Vascular Disease Management.* 2007 May; 4(3): 63-9.

Di Mario C, Werner GS, Sianos G, Galassi AR, Büttner J, Dudek D, Chevalier B, Lefevre T, **Schofer J**, Koolen J, Sievert H, Reimers B, Fajadet J, Colombo A, Gershlick A, Serruys PW, Reifart N; EuroCTO Club. European perspective in the recanalisation of chronic total occlusions (CTO): Consensus document from the EuroCTO Club. *EuroInterv.* 2007 May; 3(1): 30-43.

Zeller T, **Sixt S**, Schwarzwälder U, Schwarz T, Frank U, Bürgelin K, Pochert V, Müller C, Noory E, **Krankenbergh H**, Hauswald K, Neumann FJ, Rastan A. Two-year results after directional atherectomy of infrapopliteal arteries with the SilverHawk device. *J Endovasc Ther.* 2007 Apr; 14(2): 232-40.

Stone GW, Moses JW, Ellis SG, **Schofer J**, Dawkins KD, Morice MC, Colombo A, Schampaert E, Grube E, Kirtane AJ, Cutlip DE, Fahy M, Pocock SJ, Mehran R, Leon MB. Safety and efficacy of sirolimus- and paclitaxel-eluting coronary stents. *N Engl J Med*. 2007 Mar 8; 356(10): 998-1008.

Fukuta H, Ohte N, **Brucks S**, Carr JJ, Little WC. Contribution of right-sided heart enlargement to cardiomegaly on chest roentgenogram in diastolic and systolic heart failure. *Am J Cardiol*. 2007 Jan 1;99(1):62-7. Epub 2006 Nov 3.

## 2006

Holmes DR Jr, Moses JW, **Schofer J**, Morice MC, Schampaert E, Leon MB. Cause of death with bare metal and sirolimus-eluting stents. *Eur Heart J*. 2006 Dec; 27(23): 2815-22.

Schächinger V, Erbs S, Elsässer A, Haberbosch W, Hambrecht R, Hölschermann H, Yu J, Corti R, **Mathey DG**, Hamm CW, Süselbeck T, Assmus B, Tonn T, Dimmeler S, Zeiher AM; REPAIR-AMI Investigators. Intracoronary bone marrow-derived progenitor cells in acute myocardial infarction. *N Engl J Med*. 2006 Sep 21; 355(12): 1210-21.

Tübler T, Reichenspurner H, **Schofer J**. Mitralklappenrekonstruktion ohne Herz-Lungen-Maschine. Grenzbereich zwischen Kardiochirurgie und interventioneller Kardiologie. *Herz*. 2006 Aug; 31(5): 406-12.

Reimers B, Tübler T, de Donato G, Della Barbera M, Cernetti C, Schlüter M, Mistrorigo F, Saccà S, Favero L, Setacci F, Setacci C, Thiene G, **Schofer J**, Angelini A. Endovascular treatment of in-stent restenosis after carotid artery stenting: immediate and midterm results. *J Endovasc Ther*. 2006 Jul-Aug; 13(4): 429-35.

Kereiakes DJ, Wang H, Popma JJ, Kuntz RE, Donohoe DJ, **Schofer J**, Schampaert E, Meier B, Leon MB, Moses JW. Periprocedural and late consequences of overlapping Cypher sirolimus-eluting stents: pooled analysis of five clinical trials. *J Am Coll Cardiol*. 2006 Jul 4; 48(1): 21-31.

Schampaert E, Moses JW, **Schofer J**, Schlüter M, Gershlick AH, Cohen EA, Palisaitis DA, Breithardt G, Donohoe DJ, Wang H, Popma JJ, Kuntz RE, Leon MB; SIRIUS, E- and C-SIRIUS Investigators. Sirolimus-eluting stents at two years: A pooled analysis of SIRIUS, E-SIRIUS, and C-SIRIUS with emphasis on late revascularizations and stent thromboses. *Am J Cardiol*. 2006 Jul 1; 98(1): 36-41.

Sugita J, Cremonesi A, Van Elst F, Stockx L, Mathias K, **Schofer J**, Suttorp MJ, Reul J, Lowens S, Sievert H. European carotid PROCAR Trial: prospective multicenter trial to evaluate the safety and performance of the ev3 Protégé stent in the treatment of carotid artery stenosis – 1- and 6-month follow-up. *J Interv Cardiol*. 2006 Jun; 19(3): 215-21.

**Krankenbergh H**, Schlüter M, **Schofer J**, Tübler T. Die Femoralarterie: das komplexeste periphere Gefäß. *Herz*. 2006 Apr; 31(2): 137-41.

**Schwencke C**, Braun-Dullaeus RC, Wunderlich C, Strasser RH. Caveolae and caveolin in transmembrane signaling: Implications for human disease. *Cardiovasc Res.* 2006 Apr 1; 70(1):42-9.

Riess FC, **Krankenbergh H**, Tübler T, Danne M. Aneurysm hybrid treatment by simultaneous replacement of ascending aorta and aortic arch and endoluminal stenting of the descending aorta. *Heart Surg Forum.* 2006; 9(1): E530-2.

Wunderlich C, Schober K, Lange SA, Drab M, Braun-Dullaeus RC, Kasper M, **Schwencke C**, Schmeisser A, Strasser RH. Disruption of caveolin-1 leads to enhanced nitrosative stress and severe systolic and diastolic heart failure. *Biochem Biophys Res Commun.* 2006 Feb 10;340(2):702-8. Epub 2005 Dec 20.

**Schwencke C**, Braun-Dullaeus RC, Wunderlich C, Strasser RH. Caveolae and caveolin in transmembrane signaling: Implications for human disease. *Cardiovasc Res.* 2006 Apr 1;70(1):42-9. Epub 2006 Jan 10. Review.

## 2005

Wunderlich C, Schober K, Lange SA, Drab M, Braun-Dullaeus RC, Kasper M, **Schwencke C**, Schmeisser A, Strasser RH. Disruption of caveolin-1 leads to enhanced nitrosative stress and severe systolic and diastolic heart failure. *Biochem Biophys Res Commun.* 2005 Dec 20; 340(2): 702-8.

Nessmith MG, Fukuta H, **Brucks S**, Little WC. Usefulness of an elevated B-type natriuretic peptide in predicting survival in patients with aortic stenosis treated without surgery. *Am J Cardiol.* 2005 Nov 15;96(10):1445-8. Epub 2005 Oct 3.

Schlüter M, Tübler T, Lansky AJ, Kähler S, Berger J, **Mathey DG**, **Schofer J**. Angiographic and clinical outcomes at 8 months of cutting balloon angioplasty and beta-brachytherapy for native vessel in-stent restenosis (BETACUT): Results from a stopped randomized controlled trial. *Catheter Cardiovasc Interv.* 2005 Nov; 66(3): 320-6.

**Schwencke C**, Schmeisser A, Walter C, Wachter R, Pannach S, Weck B, Braun-Dullaeus RC, Kasper M, Strasser RH. Decreased caveolin-1 in atheroma: Loss of antiproliferative control of vascular smooth muscle cells in atherosclerosis. *Cardiovasc Res.* 2005 Oct 1; 68(1): 128-35.

Schlüter M, **Schofer J**. Direct stenting with sirolimus-eluting stents. *Am Heart Hosp J.* 2005 Summer; 3(3): 182-6, 192.

Fukuta H, Sane DC, **Brucks S**, Little WC. Statin therapy may be associated with lower mortality in patients with diastolic heart failure: a preliminary report. *Circulation.* 2005 Jul 19;112(3):357-63. Epub 2005 Jul 11.

Little WC, **Brucks S**. Therapy for diastolic heart failure. *Prog Cardiovasc Dis.* 2005 May-Jun;47(6):380-8. Review.

**Brucks S**, Little WC, Chao T, Kitzman DW, Wesley-Farrington D, Gandhi S, Shihabi ZK. Contribution of left ventricular diastolic dysfunction to heart failure regardless of ejection fraction. *Am J Cardiol.* 2005 Mar 1;95(5):603-6.

Schlüter M, **Schofer J**. The SIRIUS, E-SIRIUS, and C-SIRIUS trials. In: Serruys PW, Gershlick AH, eds. Handbook of Drug-Eluting Stents. Taylor & Francis, London, New York, 2005: 121-31.

Braun S, Schrotter H, Reynen K, **Schwencke C**, Strasser RH. Myocardial infarction as complication of left atrial myxoma. *Int J Cardiol*. 2005 May 11; 101(1): 115-21.

Reimers B, Sievert H, Schuler GC, Tübler T, Diederich K, Schmidt A, Rubino P, Mudra H, Dudek D, Coppi G, **Schofer J**, Cremonesi A, Haufe M, Resta M, Klauss V, Benassi A, Di Mario C, Favero L, Scheinert D, Salemme L, Biamino G. Proximal endovascular flow blockage for cerebral protection during carotid artery stenting: results from a prospective multicenter registry. *J Endovasc Ther*. 2005 Mar-Apr; 12(2): 156-65.

Sedding DG, Hermsen J, Seay U, Eickelberg O, Kummer W, **Schwencke C**, Strasser RH, Tillmanns H, Braun-Dullaeus RC. Caveolin-1 facilitates mechanosensitive protein kinase B (Akt) signaling in vitro and in vivo. *Circ Res*. 2005 Apr 1; 96(6): 635-42.

**Schwencke C**, Schmeisser A, Weinbrenner C, Braun-Dullaeus RC, Marquetant R, Strasser RH. Transregulation of the alpha2-adrenergic signal transduction pathway by chronic beta-blockade: a novel mechanism for decreased platelet aggregation in patients. *J Cardiovasc Pharmacol*. 2005 Mar; 45(3): 253-9.

**Schofer J**, Schlüter M. Coronary restenosis after implantation of drug-eluting stents. *Minerva Cardioangiol*. 2005 Feb; 53(1): 43-8.

**Krankenbergh H**, Sorge I, Zeller T, Tübler T. Percutaneous transluminal angioplasty of infrapopliteal arteries in patients with intermittent claudication: acute and one-year results. *Catheter Cardiovasc Interv*. 2005 Jan; 64(1): 12-7.

Mauri L, Orav EJ, O'Malley AJ, Moses JW, Leon MB, Holmes DR Jr, Teirstein PS, **Schofer J**, Breithardt G, Cutlip DE, Kereiakes DJ, Shi C, Firth BG, Donohoe DJ, Kuntz RE. Relationship of late loss in lumen diameter to coronary restenosis in sirolimus-eluting stents. *Circulation*. 2005 Jan 25; 111(3): 321-7.

Schlüter M, **Schofer J**, Gershlick AH, Schampaert E, Wijns W, Breithardt G; E- and C-SIRIUS Investigators. Direct stenting of native de-novo coronary artery lesions with the sirolimus-eluting stent: a post-hoc subanalysis of the pooled E- and C-SIRIUS trials. *J Am Coll Cardiol*. 2005 Jan 4; 45(1): 10-3.

## 2004

Riess FC, Lehmann C, Loewer C, **Schofer J**, Bleese N. Congenital fistula between the left internal mammary artery (LIMA) and the pulmonary artery: cause of LIMA bypass occlusion? *Heart Surg Forum*. 2004; 7(5): E403-4.

Zeller T, Rastan A, Schwarzwälder U, Frank U, Bürgelin K, Amantea P, Müller C, **Krankenbergh H**, Flügel PC, Neumann FJ. Midterm results after atherectomy-assisted angioplasty of below-knee arteries with use of the Silverhawk device. *J Vasc Interv Radiol*. 2004 Dec; 15(12): 1391-7.

Feistritzer C, Mosheimer BA, Sturn DH, Bijuklic K, Patsch JR, Wiedermann CJ. Expression and function of the angiopoietin receptor Tie-2 in human eosinophils. *J Allergy Clin Immunol.* 2004 Nov;114(5):1077-84.

Schlüter M, **Schofer J**. The European experience with drug-eluting stents. *G Ital Cardiol Inva- siva.* 2004 Nov; 1(2): 5-10.

Sievert H, Wahr DW, Schuler G, **Schofer J**, Sutsch G, Pavliska J, Skowasch M. Effectiveness and safety of the Proxis system in demonstrating retrograde coronary blood flow during proximal occlusion and in capturing embolic material. *Am J Cardiol.* 2004 Nov 1; 94(9): 1134-9.

Grube E, Lansky A, Hauptmann KE, Di Mario C, Di Sciascio G, Colombo A, Silber S, Stumpf J, Reifart N, Fajadet J, Marzocchi A, **Schofer J**, Dumas P, Hoffmann R, Guagliumi G, Pitney M, Russell ME; SCORE randomized trial. High-dose 7-hexanoyltaxol-eluting stent with polymer sleeves for coronary revascularization: one-year results from the SCORE randomized trial. *J Am Coll Cardiol.* 2004 Oct 6; 44(7): 1368-72.

**Schofer J**, Schlüter M. Are drug-eluting stents a panacea for patients with coronary heart disease? *Lancet.* 2004 Aug 14; 364 (9434): 558-9.

Urban P, Gershlick AH, Guagliumi G, Guyon P, Lotan C, **Schofer J**, Seth A, Sousa JE, Wijns W; Investigateurs de e-Cypher. Le registre e-Cypher: objectifs et organisation. *Ann Cardiol Angeiol (Paris).* 2004 May; 53 Suppl 1: 18s-21s.

**Schofer J**, Schlüter M. Les essais cliniques E-SIRIUS et "New" SIRIUS. *Ann Cardiol Angeiol (Paris).* 2004 May; 53 Suppl 1: 13s-17s.

**Brucks S**, Little WC, Chao T, Rideman RL, Upadhyia B, Wesley-Farrington D, Sane DC. Relation of anemia to diastolic heart failure and the effect on outcome. *Am J Cardiol.* 2004 Apr 15;93(8):1055-7.

Rogers C, Huynh R, Seifert PA, Chevalier B, **Schofer J**, Edelman ER, Toegel G, Kuchela A, Woupio A, Kuntz RE, Macon ND. Embolic protection with filtering or occlusion balloons during saphenous vein graft stenting retrieves identical volumes and sizes of particulate debris. *Circulation.* 2004 Apr 13; 109(14): 1735-40.

Scheinert D, **Krankenbergh H**, Schmidt A, Gummert JF, Nitzsche S, Scheinert S, Bräunlich S, Sorge I, Krakor R, Biamino G, Schuler G, Mohr FW. Endoluminal stent-graft placement for acute rupture of the descending thoracic aorta. *Eur Heart J.* 2004 Apr; 25(8): 694-700.

Little WC, Wesley-Farrington DJ, Hoyle J, **Brucks S**, Robertson S, Kitzman DW, Cheng CP. Effect of candesartan and verapamil on exercise tolerance in diastolic dysfunction. *J Cardiovasc Pharmacol.* 2004 Feb;43(2):288-93.

**Schofer J**. Lessons from the E-SIRIUS trial. *Ital Heart J.* 2004 Jan; 5(1): 1-2.

**Schofer J**, Bode C, Silber S. Drug-eluting stents for in-stent restenosis and acute myocardial infarction: present data from nonrandomized studies. *Herz.* 2004 Mar; 29(2): 195-200.

Albiero R, Silber S, Di Mario C, Cernigliaro C, Battaglia S, Reimers B, Frasher A,

Klauss V, Auge JM, Rubartelli P, Morice MC, Cremonesi A, **Schofer J**, Bortone A, Colombo A; RESCUT Investigators. Cutting balloon versus conventional balloon angioplasty for the treatment of in-stent restenosis: results of the restenosis cutting balloon evaluation trial (RESCUT). *J Am Coll Cardiol*. 2004 Mar 17; 43(6): 943-9.

Reimers B, Schlüter M, Castriota F, Tübler T, Corvaja N, Cernetti C, Manetti R, Picciolo A, Liistro F, Di Mario C, Cremonesi A, **Schofer J**, Colombo A. Routine use of cerebral protection during carotid artery stenting: results of a multicenter registry of 753 patients. *Am J Med*. 2004 Feb 15; 116(4): 217-22.

Zeller T, **Krankenbergh H**, Reimers B, Frank U, Bürgelin K, Schwarzwälder U, Neumann FJ. Erste klinische Erfahrungen mit einem neuen Atherektomie-katheter zur Behandlung femoro- poplitealer Stenosen. *RöFo*. 2004 Jan; 176(1): 70-5.

### 2003

**Schofer J**, Schlüter M, Gershlick AH, Wijns W, Garcia E, Schampaert E, Breithardt G; E-SIRIUS Investigators. Sirolimus-eluting stents for treatment of patients with long atherosclerotic lesions in small coronary arteries: double-blind, randomised controlled trial (E-SIRIUS). *Lancet*. 2003 Oct 4; 362: 1093-9.

**Schofer J**, Schlüter M, Tübler T, Goossens-Merkt H, **Mathey DG**. Zerebrale Protektionssysteme bei der Stentversorgung von Karotisstenosen. *Dtsch Arztebl*. 2003; 100: A-2504-12 [Heft 39].

Schlüter M, Tübler T, Steffens JC, **Mathey DG**, **Schofer J**. Focal ischemia of the brain after neuroprotected carotid artery stenting. *J Am Coll Cardiol*. 2003 Sep 17; 42(6): 1007-13.

Iwatsubo K, Toya Y, Fujita T, Ebina T, **Schwencke C**, Minamisawa S, Umemura S, Ishikawa Y. Ischemic preconditioning prevents ischemia-induced beta-adrenergic receptor sequestration. *J Mol Cell Cardiol*. 2003 Aug; 35(8): 923-9.

Hasegawa H, Little WC, Ohno M, **Brucks S**, Morimoto A, Cheng HJ, Cheng CP. Diastolic mitral annular velocity during the development of heart failure. *J Am Coll Cardiol*. 2003 May 7; 41(9): 1590-7.

Schlüter M, Chevalier B, Seth A, Bach R, Farah B, Hauptmann KE, Grube E, **Schofer J**. Saphenous vein graft stenting using a novel filter device for distal protection. *Am J Cardiol*. 2003 Mar 15; 91(6): 736-9.

Iwatsubo K, Tao Y, Onda T, Toya Y, **Schwencke C**, Fujita T, Ebina T, Iwamoto T, Hori H, Minamisawa S, Umemura S, Ishikawa Y. Characterization of beta-adrenergic receptor sequestration by newly developed whole cell binding assays. *J Cardiovasc Pharmacol*. 2003 Jan; 41 Suppl 1: S53-6.

Klemm T, Mittrach-Schorin S, Neumann S, Gerike T, **Krankenbergh H**, Schuler G, Paschke R. No association between the angiotensin-converting-enzyme gene insertion/deletion polymorphism and the occurrence of macroangiopathy in patients with diabetes mellitus type 2. *Horm Metab Res*. 2003 Jan; 35(1): 43-7.

**2002**

Schlüter M, Tübler T, **Mathey DG**, **Schofer J**. Feasibility and efficacy of balloon-based neuro- protection during carotid artery stenting in a single-center setting. *J Am Coll Cardiol*. 2002 Sep 4; 40(5): 890-5.

Unverdorben M, Reifart N, Degenhardt R, Bach R, Hennen B, Dahm J, **Mathey DG**, Pfeiffer D, Berthold HK, Vallbracht C. Restenosis rates with flexible GFX stents (REFLEX): clinical and angiographic results. *J Interv Cardiol*. 2002 Aug; 15(4): 269-75.

Rieß FC, Bader R, Kremer P, Kühn C, Kormann J, **Mathey DG**, Moshar S, Tübler T, Bleese N, **Schofer J**. Coronary hybrid revascularization from January 1997 to January 2001: a clinical follow-up. *Ann Thorac Surg*. 2002 Jun; 73(6): 1849-55.

Blüher M, Klemm T, Gerike T, **Krankenber H**, Schuler G, Paschke R. Lack of association between peroxisome proliferator-activated receptor-gamma-2 gene variants and the occurrence of coronary heart disease in patients with diabetes mellitus. *Eur J Endocrinol*. 2002 Apr; 146(4): 545-51.

Grube E, **Schofer J**, Webb J, Schuler G, Colombo A, Sievert H, Gerckens U, Stone GW. Evaluation of a balloon occlusion and aspiration system for protection from distal embolization during stenting in saphenous vein grafts. *Am J Cardiol*. 2002 Apr 15; 89(8): 941-5.

Mazur W, **Brucks S**, Darty SN, Rerkpattanapit P. Magnetic resonance imaging in detection and functional assessment of coronary artery disease. *Curr Atheroscler Rep*. 2002 Mar;4(2):128-33. Review.

Kwok OH, Prpic R, Gaspar J, **Mathey DG**, Escobar A, Goldar-Najafi A, Reifart N, Ischinger TA, Popma JJ. Angiographic outcome after intracoronary X-Sizer helical atherectomy and thrombectomy: first use in humans. *Catheter Cardiovasc Interv*. 2002 Feb; 55(2): 133-9.

**2001**

Tübler T, Schlüter M, Dirsch O, Sievert H, Bösenberg I, Grube E, Waigand J, **Schofer J**. Balloon-protected carotid artery stenting: relationship of periprocedural neurological complications with the size of particulate debris. *Circulation*. 2001 Dec 4; 104(23): 2791-6.

Kawabe JI, Grant BS, Yamamoto M, **Schwencke C**, Okumura S, Ishikawa Y. Changes in caveolin subtype protein expression in aging rat organs. *Mol Cell Endocrinol*. 2001 May 15; 176(1-2): 91-5.

**Krankenber H**, Sorge I, Walther C, Grummt L, Gehrt I, Biamino G. Perkutane Revaskularisation langstreckiger chronischer Verschlüsse der Arteria femoralis superficialis. Eine Pilotstudie. *Dtsch Med Wochenschr*. 2001 Apr 27; 126(17): 491-5.

**Krankenber H**, Gehrt I, Sorge I, Walther C, Conradi S, Biamino G. Behandlung peripherer arterieller Thrombembolien durch ein neuartiges perkutanes mechanisches Thrombektomiesystem. *RöFo*. 2001 Mar; 173(3): 236-9.

## 2000

**Krankenber**g H, Doll S, Zotz R, Walther C, Schuler G. Zweizeitige Milzruptur mit hämor- rhagischem Schock nach systemischer Thrombolyse bei akutem Myokardinfarkt. Dtsch Med Wochenschr. 2000; 125(37): T5-T7.

Serruys PW, Hamburger JN, Koolen JJ, Fajadet J, Haude M, Klues H, Seabra-Gomes R, Cor- cos T, Hamm C, Pizzuli L, Meier B, **Mathey D**, Fleck E, Taeymans Y, Melkert R, Teunissen Y, Simon R. Total occlusion trial with angioplasty by using laser guidewire. The TOTAL trial. Eur Heart J. 2000 Nov; 21(21): 1797-805.

Te Riele JA, Piek JJ, Mudra H, Hamm CW, **Schofer J**, Bertrand M, Rutsch W, Beekman JA, Veldhof S, Eijgelshoven MH, Serruys PW. Clinical and angiographic results with the ACS MULTI-LINK DUET™ Coronary Stent System - the DUET Study. Int J Cardiovasc Intervent. 2000 Jun; 3(2): 97-104.

**Schofer J**, Schlüter M, Rau T, Hammer F, Haag N, **Mathey DG**. Influence of treatment modal- ity on angiographic outcome after coronary stenting in diabetic patients: a controlled study. J Am Coll Cardiol. 2000 May; 35(6): 1554-9.

**Krankenber**g H, Walther C, Sorge I, Biamino G, Baldauf G, Schuler G. Perkutane Rekonstruk- tion eines Beckengefäßverschlusses in "kissing-balloon"-Technik. Z Kardiol. 2000 May; 89(5): 403-7.

Rieß FC, Moshar S, Bader R, **Schofer J**, Löwer C, Kremer P, Bleese N. Clinical outcome of patients with and without renal impairment undergoing a minimally invasive LIMA-to-LAD by- pass operation. Heart Surg Forum. 2000; 3(4): 313-8.

Ishikawa Y, Grant BS, Okumura S, **Schwencke C**, Yamamoto M. Immunodetection of adenylyl cyclase protein in tissues. Mol Cell Endocrinol. 2000 Apr 25; 162(1-2): 107-12.

## 1999

**Schwencke C**, Okumura S, Yamamoto M, Geng YJ, Ishikawa Y. Colocalization of beta- adrenergic receptors and caveolin within the plasma membrane. J Cell Biochem. 1999 Oct 1; 75(1): 64-72.

Borst MM, Beuthien W, **Schwencke C**, LaRosee P, Marquetant R, Haass M, Kübler W, Strasser RH. Desensitization of the pulmonary adenylyl cyclase system: a cause of airway hy- perresponsiveness in congestive heart failure? J Am Coll Cardiol. 1999 Sep; 34(3): 848-56.

**Schofer J**, Rau T, Schlüter M, **Mathey DG**. Restenosis after stenting of matched occluded and non-occluded coronary arteries. Should there be a difference? Eur Heart J. 1999 Aug; 20(16): 1175-81.

**Schwencke C**, Yamamoto M, Okumura S, Toya Y, Kim SJ, Ishikawa Y. Compartmentation of cyclic adenosine 3',5'-monophosphate signaling in caveolae. Mol Endocrinol. 1999 Jul; 13(7): 1061-70.

Diegeler A, Matin M, Kayser S, Binner Ch, Autschbach R, Battellini R, **Krankenber**g H, Mohr FW. Angiographic results after minimally invasive coronary bypass grafting using the minimally invasive direct coronary bypass grafting (MIDCAB) approach. *Eur J Cardiothorac Surg*. 1999 May; 15(5): 680-4.

Yamamoto M, Okumura S, **Schwencke C**, Sadoshima J, Ishikawa Y. High efficiency gene transfer by multiple transfection protocol. *Histochem J*. 1999 Apr; 31(4): 241-3.

Yamamoto M, Okumura S, Oka N, **Schwencke C**, Ishikawa Y. Downregulation of caveolin expression by cAMP signal. *Life Sci*. 1999; 64(15): 1349-57.

## 1998

**Krankenber**g H, Lauer B, Schuler G. Diabetes and coronary heart disease. *N Engl J Med*. 1998 Dec 3; 339(23): 1715-6.

Yamamoto M, Toya Y, **Schwencke C**, Lisanti MP, Myers MG Jr, Ishikawa Y. Caveolin is an activator of insulin receptor signaling. *J Biol Chem*. 1998 Oct 9; 273(41): 26962-8.

Rieß FC, **Schofer J**, Kremer P, Rieß AG, Bergmann H, Moshar S, **Mathey D**, Bleese N. Beat- ing heart operations including hybrid revascularization: initial experiences. *Ann Thorac Surg*. 1998 Sep; 66(3): 1076-81.

Toya Y, **Schwencke C**, Couet J, Lisanti MP, Ishikawa Y. Inhibition of adenylyl cyclase by caveolin peptides. *Endocrinology*. 1998 Apr; 139(4): 2025-31.

Silber S, Albrecht A, Göhring S, Kaltenbach M, Kneissl D, Kokott N, Levenson B, **Mathey D**, Pohler E, Reifart N, Sauer G, **Schofer J**, Schwarzbach F. Erster Jahresbericht niedergelassener Invasivkardiologen in Deutschland. Ergebnisse für diagnostische Linksherzkatheteruntersuchungen und Koronarinterventionen 1996. *Herz*. 1998 Feb; 23(1): 47-57.

Rau T, **Schofer J**, Schlüter M, Seidensticker A, Berger J, **Mathey DG**. Stenting of nonacute total coronary occlusions: predictors of late angiographic outcome. *J Am Coll Cardiol*. 1998 Feb; 31(2): 275-80.

Toya Y, **Schwencke C**, Ishikawa Y. Forskolin derivatives with increased selectivity for cardiac adenylyl cyclase. *J Mol Cell Cardiol*. 1998 Jan; 30(1): 97-108.

## 1997

Oka N, Yamamoto M, **Schwencke C**, Kawabe J, Ebina T, Ohno S, Couet J, Lisanti MP, Ishikawa Y. Caveolin interaction with protein kinase C. Isoenzyme-dependent regulation of kinase activity by the caveolin scaffolding domain peptide. *J Biol Chem*. 1997 Dec 26; 272(52): 33416-21.

Oka N, Asai K, Kudej RK, Edwards JG, Toya Y, **Schwencke C**, Vatner DE, Vatner SF, Ishikawa Y. Downregulation of caveolin by chronic beta-adrenergic receptor stimulation in mice. *Am J Physiol*. 1997 Dec; 273(6 Pt 1): C1957-62.

Hamburger JN, Serruys PW, Scabra-Gomes R, Simon R, Koolen JJ, Fleck E, **Mathey D**, Sievert H, Rutsch W, Buchwald A, Marco J, Al-Kasab SM, Pizulli L, Hamm C, Corcos T, Reifart

N, Hanrath P, Taeymans Y. Recanalization of total coronary occlusions using a laser guidewire (the European TOTAL Surveillance Study). *Am J Cardiol.* 1997 Dec 1; 80(11): 1419-23.

**Schofer J**, Rau T, Schlüter M, **Mathey DG**. Short-term results and intermediate-term follow-up of laser wire recanalization of chronic coronary artery occlusions: a single-center experience. *J Am Coll Cardiol.* 1997 Dec; 30(7): 1722-8.

Sick P, Schumann E, Zindler G, Heisterhagen A, Junghans U, Lauer B, Zotz R, Hambrecht R, Kuhn A, **Krankenbergh H**, Spranger C, Mohr F, Schuler G. Vergleichende Untersuchungen zur Restenoserate nach Implantation von Palmaz-Schatz- und AVE-Micro-Stents. *Z Kardiol.* 1997 Dec; 86(12): 1000-9.

Albiero R, Rau T, Schlüter M, Di Mario C, Reimers B, **Mathey DG**, Tobis JM, **Schofer J**, Co-lombo A. Comparison of immediate and intermediate-term results of intravascular ultrasound versus angiography-guided Palmaz-Schatz stent implantation in matched lesions. *Circulation.* 1997 Nov 4; 96(9): 2997-3005.

Ito WD, Schaarschmidt S, Klask R, Hansen S, Schäfer HJ, **Mathey D**, Bhakdi S. Infarct size measurement by triphenyltetrazolium chloride staining versus in vivo injection of propidium iodide. *J Mol Cell Cardiol.* 1997 Aug; 29(8): 2169-75.

Ebina T, Toya Y, Oka N, **Schwencke C**, Kawabe J, Ishikawa Y. Isoform-specific regulation of adenylyl cyclase by oxidized catecholamines. *J Mol Cell Cardiol.* 1997 Apr; 29(4): 1247-54.

Falk V, Walther T, **Krankenbergh H**, Mohr FW. Trapped thrombus in a patent foramen ovale. *Thorac Cardiovasc Surg.* 1997 Apr; 45(2): 90-2.

Ebina T, Toya Y, Oka N, Kawabe J, **Schwencke C**, Ishikawa Y. Isoform-dependent activation of adenylyl cyclase by proteolysis. *FEBS Lett.* 1997 Jan 20; 401(2-3): 223-6. [Erratum in: *FEBS Lett* 1997 Jul 14; 411(2-3): 393. ]

## 1996

**Schofer J**, Kresser J, Rau T, Kunze KP, Kühn CR, **Mathey DG**. Recanalization of chronic coronary artery occlusions using laser followed by balloon angioplasty. *Am J Cardiol.* 1996 Oct 1; 78(7): 836-8.

Rau T, **Mathey D**. „Holiday heart“-Syndrom. *Dtsch Med Wochenschr.* 1996 Sep 6; 121(36): 1108.

Ito W, Schäfer HJ, Bhakdi S, Klask R, Hansen S, Schaarschmidt S, **Schofer J**, Hugodoch T, **Mathey D**. Influence of the terminal complement-complex on reperfusion injury, no-reflow and arrhythmias: a comparison between C6-competent and C6-deficient rabbits. *Cardio-vasc Res.* 1996 Aug; 32(2): 294-305.

Kawabe J, Toya Y, **Schwencke C**, Oka N, Ebina T, Ishikawa Y. Soluble adenylyl cyclase from *Spodoptera frugiperda* (Sf9) cells. Purification and biochemical characterization. *J Biol Chem.* 1996 Aug 16; 271(33): 20132-7.

Kücherer HF, Will M, da Silva KG, Borst MM, **Schwencke C**, Kübler WW, Strasser RH. Contrast-enhanced doppler ultrasound for noninvasive assessment of pulmonary artery pressure during exercise in patients with chronic congestive heart failure. *Am J Cardiol.* 1996 Jul 15; 78(2): 229-32.

Kawabe J, Ebina T, Toya Y, Oka N, **Schwencke C**, Duzic E, Ishikawa Y. Regulation of type V adenylyl cyclase by PMA-sensitive and -insensitive protein kinase C isoenzymes in intact cells. *FEBS Lett.* 1996 Apr 22; 384(3): 273-6.

### 1995

**Mathey D.** Emboliewahrscheinlichkeit bei Konversion von Vorhofflimmern. *Dtsch Med Wochenschr.* 1995 Nov 10; 120(45): 1568.

Niroomand F, Weinbrenner C, Weis A, Bangert M, **Schwencke C**, Marquetant R, Beyer T, Strasser RH, Kübler W, Rauch B. Impaired function of inhibitory G proteins during acute myocardial ischemia of canine hearts and its reversal during reperfusion and a second period of ischemia. Possible implications for the protective mechanism of ischemic preconditioning. *Circ Res.* 1995 May; 76(5): 861-70.

### 1994

Langes K, Siglow V, Koschyk D, **Mathey DG.** Double-chambered right ventricle associated with left ventricular dysfunction. *J Thorac Cardiovasc Surg.* 1994 Oct; 108(4): 793-4.

**Mathey D, Schofer J,** Schäfer HJ, Hamdoch T, Joachim HC, Ritgen A, Hugo F, Bhakdi S. Early accumulation of the terminal complement-complex in the ischaemic myocardium after reperfusion. *Eur Heart J.* 1994 Mar; 15(3): 418-23.

**Schofer J,** Geiger B, Kunze KP, **Mathey DG.** Senkt die Rotablation komplexer Koronararterienstenosen das Risiko der anschließenden PTCA? *Z Kardiol.* 1994 Jan; 83(1): 24-30.

### 1993

Kühn C, Sumpelmann D, Geiger B, Siems R, Kunze KP, **Geiger M, Mathey D, Schofer J.** Frühzeitige Blutstillung nach koronartherapeutischen Eingriffen durch Anwendung von Kollagenplugs. *Z Kardiol* 1993 Aug; 82(8): 515-20.

**Schofer J,** Lins M, **Mathey DG,** Sheehan FH. Time course of left ventricular function and coronary patency after streptokinase vs. anistreplase in acute myocardial infarction. The PRIMI Trial Study Group. *Eur Heart J.* 1993 Jul; 14(7): 958-63.

**1992**

**Schofer J**, Lampe F, **Mathey DG**, Müller-Hansen S, Voigt KD. Anstieg der Kreatinkinase und ihrer MM-Isoformen nach erfolgreicher und unkomplizierter Koronarangioplastie. *Z Kardiol.* 1992 Jun; 81(6): 326-30.

**Schofer J**, Ress-Grigolo G, Voigt KD, **Mathey DG**. Early detection of coronary artery patency after thrombolysis by determination of the MM creatine kinase isoforms in patients with acute myocardial infarction. PRIMI Study Group. *Am Heart J.* 1992 Apr; 123(4 Pt 1): 846-53.

**1991**

Sievers B, **Schofer J**, Kalmar P, Krebber HJ, Bleifeld W. Ergebnisse der notfallmäßigen By-pass-Operation nach perkutaner transluminaler Koronarangioplastie. *Z Kardiol.* 1991 Aug; 80(8): 506-11.

**1990**

**Schofer J**, Büttner J, Geng G, Gutschmidt K, Herden HN, **Mathey DG**, Moecke HP, Polster P, Raftopoulos A, Sheehan FH, et al. Prehospital thrombolysis in acute myocardial infarction. *Am J Cardiol.* 1990 Dec 15; 66(20): 1429-33.

**Schofer J**, Hobuss M, Aschenberg W, Tews A. Acute and long-term haemodynamic and neurohumoral response to nisoldipine vs captopril in patients with heart failure: a randomized double-blind study. *Eur Heart J.* 1990 Aug; 11(8): 712-21.

Hugo F, Hamdoch T, **Mathey DG**, Schäfer H, Bhakdi S. Quantitative measurement of SC5b-9 and C5b-9(m) in infarcted areas of human myocardium. *Clin Exp Immunol.* 1990 Jul; 81(1): 132-6.

Terres W, Umnus S, **Mathey DG**, Bleifeld W. Effects of streptokinase, urokinase, and recombinant tissue plasminogen activator on platelet aggregability and stability of platelet aggregates. *Cardiovasc Res.* 1990 Jun; 24(6): 471-7.

**Mathey DG**, Büttner J, Geng G, Gutschmidt HJ, Herden HN, Moecke H, Polster H, Raftopoulos R, **Schofer J**, Sheehan FH, et al. Thrombolyse-Behandlung des akuten Myokardinfarktes am Notfallort. Eine randomisierte Doppelblindstudie. *Dtsch Med Wochenschr.* 1990 May 25; 115(21): 803-8.

**Schofer J**, Bartels C, Hölscher D, Lierse W, **Mathey DG**, Reimitz PE, Tews A. Morphologische Befunde bei der dilatativen Kardiomyopathie und ihre Beziehung zur Hämodynamik und zu den Katecholaminkonzentrationen im Plasma und Myokard. *Z Kardiol.* 1990 Apr; 79(4): 302-7.

**Unsere Bücher/Our Books:**

**Schofer J, Mathey D.** Herzinsuffizienz – Fortschritte in der Therapie. Stuttgart, New York: Thieme 1997

**Mathey D, Schofer J.** Invasive Kardiologie. Stuttgart, New York: Thieme 1996

Kunze KP, **Schofer J.** Herzrhythmusstörungen – Ein Leitfaden für Diagnostik und Therapie. Stuttgart, New York: Thieme 1995

Siglow V, **Schofer J, Mathey D.** Transösophageale Echokardiographie – Indikationen, Untersuchungstechnik und Befundinterpretation. Stuttgart, New York: Thieme 1993

**Schofer J, Mathey D,** Rentrop P. Leitfaden zur Thrombolysetherapie beim akuten Myokardinfarkt. Stuttgart, New York: Thieme 1991